



Conform to EN 748



**FOOTBALL**  
**MINIMUM SAFETY AREA**  
 A - International  
 B - National

**FOOTBALL**  
**MINIMUM SAFETY AREA**  
 A - International  
 B - National






**Goals, supplied knocked-down for site assembly**

**1. Football goal with net tension posts, FIFA competition model**

Suitable for top competition, 732 x 244 cm. Oval aluminium posts with net hooks; section 105 x 120 mm, wall thickness 2 mm with 4 mm reinforcement strips, white enamelled; supplied with two aluminium ground sleeves of 50 cm and two covers. Internal aluminium tension posts, diameter 50 mm; supplied with two ground sleeves and two covers. Exclusive of net. Per piece. Model recommended by FIFA. Can be used with nets S6.S6517 - S6.S6518 or with deep net S6.S6515 - S6.S6516. Ref. no. S6.S6402

**2. Football goal - P-model**

Suitable for top competition, 732 x 244 cm. Oval aluminium posts with net hooks; section 105 x 120 mm, wall thickness 2 mm with 4 mm reinforcement strips, white enamelled ; supplied with two aluminium ground sleeves of 50 cm and two covers. Internal aluminium corner joints. Conforms to FIFA regulations. Exclusive of net. Per piece. Can be used with net S6.S6517 Ref. no. S6.S6403



## 1. Football goal


### freestanding and portable

732 x 244 cm, oval aluminium posts, section 105 x 120 mm, with net hooks.

Oval base frame 105 x 120 mm. 175 cm deep, net support at the top 110 cm, all white enamelled. Internal aluminium corner joints. Exclusive of net. Per piece.

Can be used with net S6.S6518.

Ref. no. S6.S6406



## 2. Junior football goal

### freestanding and portable

500 x 200 cm, oval aluminium posts section 105 x 120 mm, with net hooks. Internal aluminium corner joints. Hinged and dismantable net supports and rear bar, galvanized and white enamelled, depth at bottom 150 cm, depth at top 85 cm; can fold for easy transport and storage.

Exclusive of net. Per piece. Can be used with net S6.S6519.

Ref. no. S6.S6416



## Junior football goal with ground sleeves

500 x 200 cm, oval aluminium posts section 105 x 120 mm, with net hooks, supplied with two aluminium ground sleeves of 50 cm and two covers. Hinged net supports for easy transport and storage, galvanized and white enamelled, depth at bottom 150 cm, depth at top 85 cm. Exclusive of net. Per piece. Can be used with net S6.S6519.

Ref. no. S6.S6417



## Two-piece crossbar

For senior goal. Supplied with internal 100 cm. strong aluminium profile. Supplement per goal.

Ref. no. S6.S7145

## Goal parts and Accessories

### 3. Set of 2 transport wheels

For freestanding football goals. White coated welded metal holders with bolt and big tyred wheels  $\varnothing$  25 cm.

Ref. no. S6.S7150

### 4. Foldable base frame

Suitable for football goal S6.S6403. Makes the use of ground pegs superfluous. Can be folded so that the net does not hang on the ground during field maintenance. Dimensions: 750 x 150 cm in galvanized tube of 40 mm diameter and 2 mm wall thickness. Per piece.

Ref. no. S6.S6404

### 5. Goal lifting device for goal posts

Suitable to lift the goal posts out of the ground sleeve. Set of 2 grips, to lift with 2 persons 1 goal out of the ground sleeves.

Ref. no. S6.S6407

### 6. Ground pegs

For fixing the football goal nets to the ground. Galvanized steel, length 24 cm. Per set of 20 pieces per goal.

Ref. no. S6.S6510

### 7. Ground pegs

Hard plastic, length 22 cm. Per set of 20 pieces per goal.

Ref. no. S6.S7155

### 8. Ground sleeve for football goal

All aluminium, oval section O.D. 110 x 130 mm wall thickness 3 mm with reinforcement strips. Depth 50 cm. Suitable for football goals S6.S6402 – S6.S6403 – S6.S6417. Per piece.

Ref. no. S6.S6420

### 9. Cover for football goal ground sleeve

Aluminium, suitable for S6.S6420.

Ref. no. S6.S6421

### 10. Net tension posts

For freehanging net. Aluminium post length 290 cm, diam. 50 mm. Suitable for ground sleeve S6.S6423. Price per post.

Ref. no. S6.S6422

### 11. Ground sleeve for tension post


Suitable for net tension post of football goal S6.S6402, aluminium, O.D. 80 mm, I.D. 50 mm, depth 40 cm. Per piece.

Ref. no. S6.S6423


### 12. Cover for ground sleeve - net tension post

Aluminium, suitable for S6.S6423. Per piece.

Ref. no. S6.S6424



13




14



Striped football goal netting available at no extra cost. Specify with order.



10




8

11

9

12



5



4



6



7



15

### 14. Football goal net depth 200 cm.

For goal with net tension posts. Dimensions 750 x 250 cm. White polyethylene, thickness 3 mm, meshes 12,5 x 12,5 cm. Suitable for football goal S6.S6402. Per piece. Ref. no. S6.S6516

### Football goal net

Same as S6.S6516 but thickness 4 mm. Ref. no. S6.S6516A

### Football goal net - depth 87.5 x 150 cm

Dimensions 750 x 250 cm, white polyethylene, thickness 3 mm, meshes 12,5 x 12,5 cm. Suitable for football goal S6.S6403 (can also be used for goal with net tension posts S6.S6402). Per piece. Ref. no. S6.S6517

### Football goal net - depth 87.5 x 150 cm

Same as S6.S6517 but thickness 4 mm. Per piece. Ref. no. S6.S6517A

### Football goal net - depth 112,5 X 200 cm

Dimensions 750 x 250 cm. White polyethylene, thickness 3 mm, meshes 12,5 x 12,5 cm. Suitable for football goal S6.S6406 (can also be used for goal with net tension posts S6.S6402). Per piece. Ref. no. S6.S6518

### Football goal net - depth 112,5 X 200 cm

Same as S6.S6518 but thickness 4 mm. Per piece. Ref. no. S6.S6518A

### Football goal net for junior goal - depth 87,5 x 175 cm

Dimensions 500 x 200 cm, White polyethylene, thickness 3 mm, meshes 12,5 x 12,5 cm. Suitable for football goal S6.S6416 and S6.S6417. Per piece. Ref. no. S6.S6519

### Football goal net for junior goal

Same as S6.S6519 but thickness 4 mm. Per piece. Ref. no. S6.S6519A

### Football goal nets

#### 13. Football goal net hexagonal meshes - depth 200 cm.

For goal with net tension posts. Dimensions 750 x 250 cm. Super net in white nylon, knotless, thickness 4 mm. Suitable for football goal S6.S6402. Per piece. Ref. no. S6.S6515

#### 15. Safety ground anchor

For freestanding football goals, to avoid tipping over. Galvanized steel clamp with spiral ground peg. Per piece. Ref. no. S6.S7160

Field and stadium equipment

Player shelter

Solid aluminium construction supplied in component form for site assembly. Comes in different lengths, inclusive of plastic seats. Height 200 cm, depth 75 cm at bottom, 120 cm at top.

Two models:

1. A: Player shelter made of 4 mm thick laminated waterproof board for the lower part and back. The curved roof is made of UV resistant 3 mm thick see-through shock-proof polycarbonate sheet.

2. B: player shelter with back, curved roof and lower part of side panels made of UV resistant 6 mm thick alveolar transparent sheet, left and right upper part of sides 3 mm thick see-through polycarbonate sheet.

Length 300 cm, 6 plastic seats. Per unit. Ref. no. S6.S7222A

Length 300 cm, 6 plastic seats. Per unit. Ref. no. S6.S7222B

Length 400 cm, 8 plastic seats. Per unit. Ref. no. S6.S7232A

Length 400 cm, 8 plastic seats. Per unit. Ref. no. S6.S7232B

Length 500 cm, 10 plastic seats. Per unit. Ref. no. S6.S7242A

Length 500 cm, 10 plastic seats. Per unit. Ref. no. S6.S7242B

Equipped with 2 tyred wheels in front. Supplement. Ref. no. S6.S7245

**Remark: player shelters can also be supplied with wooden seat benches at the same price.**

3. Corner flag on post with bottom pin

Flexible synthetic post with white flag. Height 165 cm, diameter 30 mm. Per unit. Ref. no. S6.S7210




Model A

Comes unassembled in component form



Model B

2



4. Corner flag on post in ground sleeve

Flexible synthetic post with yellow flag, inclusive of ground sleeve with cover. Height 160 cm. Diameter 50 mm. Per unit. Ref. no. S6.S7212

5. Safety corner flex post

White post with built-in flex system, height 160 cm, diameter 30 mm, inclusive of ground sleeve, yellow fluo corner flag 60 x 40 cm with flag clips. Per unit. Ref. no. S6.S7213

6. Extensible player tunnel - 10,5 m


Connection of football pitch with changing-rooms, can be used outdoor and indoor. Extensible and folding tunnel. Aluminium structure with PVC-cover. Height 240 cm, width 190 cm. Rollable on wheels, modules per 105 cm. Overall size when closed is 5 cm thick every rib. Can be extended per module of 105 cm. Standard colours are sand, grey and green. Ref. no. S6.S7225

Player tunnel - extension

For item S6.S7225. Extension per module of 105 cm. Ref. no. S6.S7226



6



5

3

4



## Electronic outdoor scoreboards


1. Fully enclosed aluminium housing, black finish, polycarbonate protection board, electro-magnetic protection board, electro-magnetic yellow digits. Scoreboards come inclusive of 4 mounting hooks, not included are support structure and feeder cable. Remotely controlled (wireless).

### Football

Both scoreboards can also be delivered with scores from 0-99.

Digit height 45 cm  
Ref. no. S13.NV4520B

Digit height 25 cm  
Ref. no. S13.NV2520B



	S13.NV 2520	S13.NV 4520
score 0 - 9	standard	standard
gameclock	00:00 - 99:99	00:00 - 99:99
gameclock mode	counting up	counting up
digit size	25 cm yellow digits	45 cm yellow digits
controller	radio	radio
readable, rec. / max	80 m / 100 m	150 m / 200 m
dim. h x w x d	100 x 150 x 10 cm	170 x 200 x 10 cm
weight	20 kg	40 kg
power supply	230 VAC	230 VAC
consumption	max. 40 W	max. 50 W

	S13.NV 4550
team score	0 - 99
gameclock	00:00 - 99:99
period and downs	0 - 9
yards to go	0 - 99
digit size	45 cm yellow digits
controller	console
readable, rec. / max	150 m / 200 m
dim. h x w x d	170 x 450 x 10 cm
weight	85 kg
power supply	230 VAC
consumption	max. 100 W

### 2. American football

Ref. no. S13.NV4550



## 1. Ball catch net for football pitch

Black polypropylene, thread thickness 3 mm, meshes 12 x 12 cm, bordered. Measurements as per order. Price per m<sup>2</sup>. Exclusive of frame posts and fixings.

Ref. no. S6.S6520

## 2. Chalkline marker

Line width 5 and 12 cm, dry chalk.

Ref. no. S8.A5602

## 3. Schelde paint line marker

Can be used on natural grass, artificial grass and all sorts of semi-hardened and complete-hardened surfaces such as athletic tracks, tennis courts, car parks, etc. Line width adjustable at 5 and 12 cm. During application the necessary pressure is supplied by a dentate pump activated by the wheels. Inclusive of 2 boxes containing 10 l each.

Ref. no. S6.S5613

## 4. Schelde lining paint

Is water-dilutable, rainproof, on pigment-basis. Does not contain heavy metals nor phosphates and is environmentally friendly.

Consumption: 1 kg paint + 7-8 l water. Price per can of 20 kg.

Ref. no. S6.S5611

## 5. Ball inflator hand model, with nozzle

Per unit.

Ref. no. S6.S8301

## 6. Ball inflator vertical model

With manometer, pressure reservoir and nipple. Per unit.

Ref. no. S6.S8302

## 7. Electrical ball inflator

With manometer and nipple, 220V, max. pressure 4 bar. Per unit.

Ref. no. S6.S8303

## 8. Ball inflator - Pro

Portable oilless ball inflator. Air capacity 6 l, air displacement 95 l/min., maximum pressure 8 bar. Motor 0,55 kW. Voltage 220V/50Hz. Complete with air pressure regulator, manometer, security valve, air hose and coupling set with needles. Weight 20 kg. 1 year guarantee.

Ref. no. S6.S8304


## 9. Air pistol

Air pistol with manometer.

Ref. no. S6.S8305



1



4



3



11



8

9



10



6

7

5

## 10. Manometer

With nipple and air release valve, scale division to 2 bar. Per unit.

Ref. no. S6.S8310

## 11. Ball carrying net

Polyethylene, for approx. 10 balls. Per unit.

Ref. no. S5.V2006

**1. Free-kick wall**

Set of five ABS dummies – synthetic reinforced; on two steel ground pens. The dummies are mounted on screw springs and automatically regain the upright position.

Set consisting of two dummies of 175 cm, two of 170 cm and one of 165 cm. Can also be used for dribble exercises. Per set.


*Ref. no. S6.S6610*

**2. Transport cart for free-kick wall**

The dummies (art. S6.S6610) can easily be mounted on and removed from the cart.

Dummies not included. Per piece.

*Ref. no. S6.S6611*

**3. Shoe cleaning brush, with hand support**

*Ref. no. S5.V8910*

**4. Shoe cleaning brush, galvanized steel frame**

With 4 sets of brushes

*Ref. no. S5.V8911*

**Replacement brush**

*Ref. no. S5.V8912*

**5. Tchouckball, galvanized frame**

120 x 120 cm, adjustable incline, with net and rubbers. Enlarged target zone. Ideal apparatus for keeper training.

*Ref. no. S6.S5401*

**Replacement net for tchouckball**

*Ref. no. S6.S5405*

